NHPUC 23MAY 16PH12:56

NH Public Utilities Commission

REC Aggregator Portal

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE	
Basic Information	
Who is submitting this request?	
Aggregator	
Access to Batch News Low	
Aggregator Batch Number	
KE051016	
Are you registered in NH	
Yes	
O No	
Aggregator name	
Knollwood Energy	
NH Reg #	
Aggregator Email	
karenton@knollwoodenergy.com	
Other Aggregator name	
Other aggregator email address	
Facility Name	
Facility Owner Name	
Stephen R. Smith	

Facility Owner email
steve@smithpumpnh.com
Owner Phone
603-759-9596
Equility Address
Facility Address
86 Rangeway Rd
Facility Town/City
Dunbarton
Facility State
NH
Facility Zip
03046
Is the facility address the same as the owner's mailing address
Yes
O No
Mailing Address
Mailing Town/City
Wiaming Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address
Facility Information
Class
Utility
PSNH
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON47944
Date of Initial Operation
01/01/2016
Facility Operator Name, if applicable
Panel Make #1
Solarworld
Panel Model
SW 275
Panel Quantity
60
Panel Rated Output
250

More Panel types?

NoYes
Panel Make #2
Panel Model
Panel Quantity
ranei Quantity
Panel Rated Output
More Panel types?
NoYes
Panel Make #3
Tarior Wake #5
Panel Model
Panel Quantity
Panel Rated Output
System capacity based on panels
15000
Inverter Quantity
60
Inverter Make
Enphase Energy
Add'l Inverter Quantity
NA
Additional Inverter Make
None

Rated Output - Primary Inverter
240
Rated Output - Additional Inverter
System capacity based on single inverter make
14400
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
15.0
Revenue Grade Meter Make
Other
Was this facility installed directly by the customer (no electrician involved)?
O Yes No
Electrician Name & Number
Other
Other Electrician Name & Number
Jeff Smith
Installation Company
Milhouse Enterprises
Other Installation Company Name
Curist Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State

Other Inst. Company Zip
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
Yes
O No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6747929_ISoxRyA4_N3281_Smith_PVCertificate_of_(
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.
A revenue quality meter is used to measure the electricity generated.
The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.
The meter shall be maintained according to the manufacturer's recommendations.
The project is installed and operating in conformance with applicable building codes.
A copy of the facility's interconnection agreement is attached.

https://fs30.formsite.com/jan1947/files/f-5-168-6747929_kop81srl_Stephen_R._Smith_NHOS.pdf

Please attach additional document here

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-173-6747929_fnLgQpCr_Stephen_R._Smith_SPIA.pdf

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Ka-Va-

Print Name

Karen Tonnesen

Date Signed

05/17/2016

JAN 2 1 2015

Public Service Company Of New Hampshire Interconnection Standards For Inverters Sized Up To 100 kVA

Exhibit B - Certificate of Completion for Simplified Process Interconnections

SESD

Installation Information: Check if own	ner-installed
Customer or Company Name (print): Check if own	TEN SMITH
Contact Person, if Company: Mailing Address: 86 LANGEWAY	RD
City: DUNBARTON	State: Zip Code:
Telephone (Daytime): 603 757-9596	(Evening): SAME E-Mail Address: STEVE & SMITHPUMPNH-CO
Facsimile Number:	E-Mail Address: STEVE @ SMITHFUMPNH-CO
Facility Information:	
Address of Facility (if different from above):	
City:	State: Zip Code:
Electrical Contractor Contact Information:	
Electrical Contractor's Name (if appropriate): 16	SEF SMITH (IMS ELECTRICAL)
Mailing Address: Q5 HAVERHICL RS	
City: SACEM	State: NH Zip Code: 03079
Telephone (Daytime): 603 571-0004	(Evening):
	E-Mail Address:
License number:	
Date of approval to install Facility granted by the Con	mpany: 12-22-14
PSNH Application ID number: #N	
Inspection:	
The system has been installed and inspected in compl	liance with the local Building/Electrical Code of:
City: DUNDALTON	County: Merrimach
Signed (Local Electrical Wiring Inspector, or attach s	signed electrical inspection):
Signature: MW WISH	
Name (printed): Oh ()19311	Date: 1/18/18
Customer Certification:	
	information contained in this Exhibit B – Certification of a installed and shall be operated in compliance with applicable ruc. 905.04 has been successfully completed.
Customer Signature:	->-1
As a condition of interconnection you are required to	send/fax a copy of this form to:

Public Service Company of New Hampshire Supplemental Energy Sources Department 780 North Commercial Street P. O. Box 330, Manchester, NH 03105-0330 Fax No.: (603) 634-2924

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Stephen Smith					
Printed Name of signature owner					

Signature of system owner

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

	PSNH Application Project ID#:				
Contact Information:					
Legal Name and Address of Interconnecting	Custom	er (or Com	nany nama if annro	prioto)	
Customer or Company Name (print): Stephe		or (or, Com	pany name, it appro	priate)	
Mailing Address: 86 Rangeway Rd					
City: Dunbarton	04-4	NH			03046
Telephone (Daytime): 603-759-9596				Zip Code:	0000
			(Evening):		1
Facsimile Number:		E	-Mail Address: Ste	ve@SmitnPumpivH	i.com
Alternative Contact Information (e.g., Sys Name: Chris Milner, Milhouse Enterprises	tem inst	allation con	tractor or coordinati	ng company, if ap	propriate):
Mailing Address: 142 South Rd					
City: Belmont	_ State:	NH		Zip Code:	03220
Telephone (Daytime): 603-300-2943			(Evening):		
Facsimile Number:		F	-Mail Address chri	is@milhouseenterp	rises.com
Mailing Address: 125 Haverhill Rd City: Salem	_ State:	NH		Zin Code:	03079
	_State:	NH		Zip Code:	03079
Telephone (Daytime): 603-571-0004					
Facsimile Number:		E	-Mail Address:		
Facility Site Information: Facility (Site) Address: 86 Rangeway Rd					
City: Dunbarton	_State:	N.	IH.	Zip Code:	03046
Electric Service Company: PSNH	- Accou	nt Number:	56420751075	Meter Num	aber: D94313936
Account and Meter Number: Please consult a on this application. If the facility is to be inst	n actual	PSNH elec a new locat	tric bill and enter the ion, please provide t	e correct Account he PSNH Work R	Number and Meter Number equest number.
PSNH Work Request #					
Non-Default' Service Customers Only:					
Competitive Electric					
Energy Supply Company:			Acc	ount Number:	
(Customer's with a Competitive Energy Supp	oly Com	any shoula			ir contract with their Energy
Supply Company)			33 203 00		2.078

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility	Machine Information:		,		
Generato	s/	Model Name &			,
Inverter l	Manufacturer: Solarworld/Enphase vite Rating: 275W (Panel) (kW) 1.1A (invert) (kW)	Number: 275W Mono pane	I/ M250 Microinve	rter Quantity: 60	
Namepla	ie Rating: 275W (Panel) (kW) 1.1A (invert) (l	(VA)240 (AC Volts)	Ph	ase: Single / Thre	ee 🗌
	te Rating: The AC Nameplate rating of the ind	lividual inverter.			
Namepla System D	Design Capacity: 15.5KW (Panels) (kW) 66A (In)	verters) (kVA) Battery Ba	ackup: Yes	No	
	esign Capacity: The system total of the inverte		_	stalled in the system	this is the
	e AC nameplate ratings of all inverters.				
Net Mete	ring: If Renewably Fueled, will the account be	Net Metered? Yes	No 🗆		
Prime Me	over: Photovoltaic 🗸 Reciprocating Engi	ne Fuel Cell	Turbine Othe	er	
Energy S	ource: Solar Wind Hydro Di	esel Natural Gas	Fuel Oil Oth	er	
Inverter	-based Generating Facilities:				
UL 1741	/ IEEE 1547.1 Compliant (Refer To Part Puc 9	006 Compliance Path For Inve	erter Units, Part Pu	ic 906.01 Inverter Rec	quirements)
Yes ✓	No L				
Systems, submit th term "L	dard UL 1741.1 dated May, 2007 or later, "Inv "addresses the electrical interconnection designer active equipment to a Nationally Recognized Test isted" is then marked on the equipment the substant of the inverter manufacturer describing to	on of various forms of generating Laboratory (NRTL) that and supporting documen	ating equipment. It t verifies compliantation. <i>Please in</i>	Many manufacturers ince with UL 1741	choose to
External	Manual Disconnect Switch:				
An Exter	nal Manual Disconnect Switch shall be installe	ed in accordance with 'Part P	uc 905 Technical R	equirements For	
	ections For Facilities, Puc 905.01 Requirements				
Yes 🗸	No 🗌				
Location	of External Manual Disconnect Switch: On p	pole and at meter			
Project E	stimated Install Date: 11/10/2014	Project Estimate	d In-Service Date:	12/1/2015	
Intercon	necting Customer Signature:				
	certify that, to the best of my knowledge, all o ditions for Simplified Process Interconnection		n this application i	s true and I agree to	the <u>Terms</u>
					1 / .
Custome	Signature:	Title: Home (DUNER	Date: 10/	12/14
p	clude a one-line and/or three-line diagram o				nnection
	relation to the customer service panel and the				
		For PSNH Use Only			
A		roi r Sivir Ose Omly			
	d to Install Facility:	at m			0.4.
	on of the Facility is approved contingent upon		or Simplified Pro	cess Interconnection	s of this
	nt, and agreement to any system modifications				
Are syste	m modifications required? Yes No	To be Determined			
Company	Signature: What all Motto	Title: SR	ENGINE	ELDate: 12	-22.
PSNH SPI	A rev. 03/14			Page 2 of 3	

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes No	Date of inspection/Witness Test: PLEASE CALL TO
	CONEDULE

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
 Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the PSNH and Puc 900
 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement, easements,
 rights of way, set back, or other physical construction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

PSNH SPIA rev. 03/14 Page 3 of 3